



TRIX




TRIX H0

22448


Gehäuse abnehmen
Removing the body
Enlever le boîtier
Huis afnemen
Retirar la carcasa
Smontare il mantello
Kåpan tas av
Overdel tages af




Kupplung austauschen
Changing couplers
Remplacer les attelages
Koppeling verwisselen
Cambiar el enganche
Sostituire il gancio
Kopplet bytes ut
Kobling ombyttes





Einbau selectrix Fahrzeug-Decoder
Installing the selectrix locomotive decoder
Montage du décodeur de véhicule selectrix
Inbouw selectrix loc-decoder
Instalación del Decoder selectrix en las locomotoras
Installazione del Decoder per motrici selectrix
Inmontering selectrix fordonsdecoder
Indbygning af selectrix køretøjs-dekoder






Schmierung nach etwa 40 Betriebsstunden
Lubrication after approximately 40 hours of operation
Graissage après environ 40 heures de marche
Smering na ca. 40 bedrijfsuren
Engrase a las 40 horas de funcionamiento
Lubrificazione dopo circa 40 ore di funzionamento
Smörjning efter ca. 40 driftstimmar
Smøring efter ca. 40 driftstimer






Schleifer auswechseln
Changing pickup shoes
Changer les frotteurs
Slepers verwangen
Cambio del patin
Sostituzione del pattino
Släpsko byts
Slæbesko udskiftes

42-2448-86





Haftreifen auswechseln
Changing traction tires
Changer les bandages d'adhérence
Antislipbanden vervangen
Cambio de los aros de adherencia
Sostituzione delle cerchiature di aderenza
Slirskydd byts
Friktionsringe udskiftes